



BEKK




KEY / O / O NÁS / KÖRÜLBELÜL / ACERCA DE / OM / OVER / À PROPOS / UM / DI	
MATERIAL / TWORZYWO / MATERIÁL / ANYAG / MATERIALE / MATERIAAL / MATÉRIEL	STEEL / OCEL / ACÉL / ACERO / STÅL / STAAL / ACIER / STAHL / ACCIAIO
PANELE / PANELY / PANEL / PANELER / PANEEL / PANNEAU / PANELEE	1
MAX (BAR)	400 KPA
MAX (°C)	100 °C
⇒	1/2"
KOL. / BAR. / FAR. / SZÍ. / COL. / FÄR. / FAR. / COUL. / FAR.	

										
816	500	1	4.6	10.4	235	424	524	1.155	4	BEK816-500
1156	500	1	6.7	16.7	335	616	765	1.194	4	BEK1156-500
1564	500	1	9.1	21.9	431	791	983	1.191	4	BEK1564-500

ZNAJOMOŚCI / PŘIPOJENÍ / PRIPOJENIA / KAPCSOLATOK / CONEXIONES / ANSLUTNINGAR / FORBINDELSER / VERBINDINGEN / RELATIONS / VERBINDUNGEN / CONNESSIONI

										
816	500					450	450	✓	✓	
1156	500					450	450	✓	✓	
1564	500					450	450	✓	✓	

BEKK - EL



							
816	500	1	15.1	600	IPX4	C	BEK816-500-E
1156	500	1	23.4	800	IPX4	C	BEK1156-500-E
1564	500	1	30.9	1000	IPX4	C	BEK1564-500-E




NORDØ R/DITORER

EN 442



	WYSOKOŚĆ (MM)	VÝŠKA (MM)	VÝŠKA (MM)	MAGASSÁG (MM)	HEIGHT (MM)	ALTURA (MM)	HÖJD (MM)	HØJDE (MM)	HOOGTE (MM)	HAUTEUR (MM)	HÖHE (MM)	ALTEZZA (MM)
	SZEROKOŚĆ (MM)	ŠÍŘKA (MM)	ŠÍRKA (MM)	SZÉLESSÉG (MM)	WIDTH (MM)	ANCHO (MM)	BREDD (MM)	BREDDE (MM)	BREEDTE (MM)	LARGEUR (MM)	BREITE (MM)	LARGHEZZA (MM)
	KOLUMNY	SLOUPCE	STĽPCE	OSZLOPOK	COLUMNS	COLUMNAS	KOLUMNER	KOLONNER	KOLOMMEN	COLONNES	SPALTEN	COLONNE
	WAGA (KG)	HMOTNOST (KG)	HMOTNOSŤ (KG)	SÚLY (KG)	WEIGHT (KG)	PESO (KG)	VIKT (KG)	VÆGT (KG)	GEWICHT (KG)	POIDS (KG)	GEWICHT (KG)	PESO (KG)
	MOC W (ΔT60)	PŘÍKON (ΔT60)	VÝKON (ΔT60)	TELJESÍTMÉNY (ΔT60)	MOC W (ΔT60)	POTENCIA (ΔT60)	EFFEKT (ΔT60)	EFFEKT (ΔT60)	VERMOGEN (ΔT60)	PUISSANCE (ΔT60)	WATTZAHL (ΔT60)	POTENZA (ΔT60)
	MOC W (ΔT50)	PŘÍKON (ΔT50)	VÝKON (ΔT50)	TELJESÍTMÉNY (ΔT50)	MOC W (ΔT50)	POTENCIA (ΔT50)	EFFEKT (ΔT50)	EFFEKT (ΔT50)	VERMOGEN (ΔT50)	PUISSANCE (ΔT50)	WATTZAHL (ΔT50)	POTENZA (ΔT50)
	MOC W (ΔT30)	PŘÍKON (ΔT30)	VÝKON (ΔT30)	TELJESÍTMÉNY (ΔT30)	MOC W (ΔT30)	POTENCIA (ΔT30)	EFFEKT (ΔT30)	EFFEKT (ΔT30)	VERMOGEN (ΔT30)	PUISSANCE (ΔT30)	WATTZAHL (ΔT30)	POTENZA (ΔT30)
	WYKŁADNIK (N)	EXPONENT (N)	EXPONENT (N)	KITEVŐ (N)	EXPONENT (N)	EXPONENTE (N)	EXPONENT (N)	EKSPONENT (N)	EXPONENT (N)	EXPOSANT (N)	EXPONENT (N)	ESPOLENTE (N)
	SKU	SKU	SKU	CIKKSZÁM	SKU	SKU	ARTIKELNUMMER	VARENUMMER	SKU	UGS	ARTIKELNUMMER	CODICE ARTICOLO
	STOPIEŃ OCHRONY IP	KRYTÍ IP	KRYTIE IP	IP-BESOROLÁS	IP RATING	CLASIFICACIÓN IP	IP-KLASSIFIZIERUNG	IP-KLASSIFIZIERUNG	IP-KLASSIFIZIERUNG	INDICE DE PROTECTION IP	IP-SCHUTZART	GRADO DI PROTEZIONE IP
	KLASA ELEKTRYCZNA	ELEKTRICKÁ TŘÍDA	ELEKTRICKÁ TŘÍDA	ELEKTROMOSZTÁLY	ELECTRIC CLASS	CLASE ELÉCTRICA	ELEKTRISK KLASSE	ELEKTRISK KLASSE	ELEKTRISCHE KLASSE	CLASSE ÉLECTRIQUE	ELEKTRISCHE KLASSE	CLASSE ELETTRICA
	CIŚNIENIE ZNAMIONOWE (BAR)	JMENOVIÝ TLAK (BAR)	MENOVIÝ TLAK (BAR)	NÉVLEGES NYOMÁS (BAR)	RATED PRESSURE (BAR)	PRESIÓN NOMINAL (BAR)	NOMINELLTRYCK (BAR)	NOMINELTRYK (BAR)	NOMINALE DRUK (BAR)	PRESSION NOMINALE (BAR)	NENNDRUCK (BAR)	PRESSIONE NOMINALE (BAR)
	OBJĘTOŚĆ WEWNĘTRZNA (LITRY)	VNITŘNÍ OBJEM (LITRY)	VNÚTORNÝ OBJEM (LITRE)	BELSŐ TÉRFOGAT (LITER)	INTERNAL VOLUME (LITRES)	VOLUMEN INTERNO (LITROS)	INTERN VOLUM (LITER)	INTERN VOLUMEN (LITER)	INTERN VOLUME (LITER)	VOLUME INTERNE (LITRES)	INNENVOLUMEN (LITER)	VOLUME INTERNO (LITRI)
	MOC ELEMENTU GRZEJNEGO	VÝKON TOPNÉHO ČLÁNKU	VÝKON VYKUROVACIEHO TELESÁ	FŰTŐELEM TELJESÍTMÉNYE	HEATING ELEMENT WATTAGE	POTENCIA DEL ELEMENTO CALEFACTOR	VÄRMEELEMENTETS EFFEKT	VÄRMEELEMENTETS EFFEKT	WATTAGE VAN HET VERWARMINGSELEMENT	PUISSANCE DE L'ÉLÉMENT CHAUFFANT	HEIZELEMENT-WATTZAHL	POTENZA DELL'ELEMENTO RISCALDANTE

BEK816-500



BEK1564-500

