



Key / O / O Nás / Körülbelül / Acerca De / Om / Over / À Propos / Um / Di

Material / Materiał / Materiál / Anyag / Materiale / Materiaal / Matériau / Materiale	Cast Iron/ Želiwo / Litina / Liatina / Öntöttvas / Hierro fundido / Gjutjärn / Støbejern / Gietijzer / Fonte / Gusseisen / Ghisa
Columns / Kolumny / Sloupce / Stĺpce / Oszlopok / Columnas / Kolumner / Kolonner / Kolommen / Colonne / Säulen / Colonne	1 / 2 / 3
MAX (BAR)	1000 kPA
MAX (°C)	120°C
⇒	1/2"


SKU										
CAS-660-FONT-1COL	FT	660	76	140	1	1.1	6.9	36.4	69	10
	MD	592	76	140	1	1.1	5.9	36.4	69	10
CAS-950-FONT-1COL	FT	950	76	140	1	1.3	9.9	54	104.3	10
	MD	895	76	140	1	1.3	9.1	54	104.3	10
CAS-510-FONT-2COL	FT	510	80	220	2	1.8	7.9	40.7	77.5	10
	MD	451	80	220	2	1.8	6.2	40.7	77.5	10
CAS-660-FONT-2COL	FT	660	75	207	2	2	11.8	52	99	10
	MD	570	75	207	2	2	10	52	99	10
CAS-760-FONT-2COL	FT	760	79	215	2	3.1	12.3	60.7	114.9	10
	MD	695	79	215	2	3.1	11	60.7	114.9	10
CAS-950-FONT-2COL	FT	950	78	205	2	3.1	15.4	74.7	140.8	10
	MD	880	78	205	2	3.1	13.9	74.7	140.8	10
CAS-470-FONT-3COL	FT	470	78	256	3	1.5	9.3	45.1	83.2	10
	MD	410	78	256	3	1.5	8.4	45.1	83.2	10
CAS-768-FONT-3COL	FT	768	77	256	3	2.8	13.4	73.4	139.6	10
	MD	710	77	256	3	2.8	12.1	73.4	139.6	10
CAS-970-FONT-3COL	FT	970	77	256	3	3.5	17.5	93.7	173.8	10
	MD	895	77	256	3	3.5	15.5	93.7	173.8	10






Wysokość (mm)	Výška (mm)	Výška (mm)	Magasság (mm)	Height (mm)	Altura (mm)	Höjd (mm)	Højde (mm)	Hoogte (mm)	Hauteur (mm)	Höhe (mm)	Altezza (mm)
Szerokość (mm)	Šířka (mm)	Šírka (mm)	Szélesség (mm)	Width (mm)	Ancho (mm)	Bredd (mm)	Bredde (mm)	Breedte (mm)	Largeur (mm)	Breite (mm)	Larghezza (mm)
Głębokość (mm)	Hloubka (mm)	Hĺbka (mm)	Mélység (mm)	Profundidad (mm)	Profundidad (mm)	Djup (mm)	Dybde (mm)	Diepte (mm)	Profondeur (mm)	Tiefe (mm)	Profondità (mm)
Kolumny	Sloupce	Stĺpce	Oszlopok	Columns	Columnas	Kolumner	Kolonne	Kolommen	Colonnes	Spalten	Colonne
Waga (kg)	Hmotnost (kg)	Hmotnosť (kg)	Súly (kg)	Weight (Kg)	Peso (Kg)	Vikt (kg)	Vægt (kg)	Gewicht (kg)	Poids (kg)	Gewicht (kg)	Peso (Kg)
Moc W (ΔT50)	Příkon (ΔT50)	Výkon (ΔT50)	Teljesítmény (ΔT50)	Moc W (ΔT50)	Potencia (ΔT50)	Effekt (ΔT50)	Effekt (ΔT50)	Vermogen (ΔT50)	Puissance (ΔT50)	Wattzahl (ΔT50)	Potenza (ΔT50)
Moc W (ΔT30)	Příkon (ΔT30)	Výkon (ΔT30)	Teljesítmény (ΔT30)	Moc W (ΔT30)	Potencia (ΔT30)	Effekt (ΔT30)	Effekt (ΔT30)	Vermogen (ΔT30)	Puissance (ΔT30)	Wattzahl (ΔT30)	Potenza (ΔT30)
Wykładnik (n)	ExpONENT (n)	ExpONENT (n)	Kitevő (n)	ExpONENT (n)	ExpONENT (n)	ExpONENT (n)	EkspONENT (n)	ExpONENT (n)	ExposANT (n)	ExpONENT (n)	EspONENT (n)
SKU	SKU	SKU	Cikkszám	SKU	SKU	Artikelnummer	Varenummer	SKU	UGS	Artikelnummer	Codice articolo
Stopień ochrony IP	Krytí IP	Krytie IP	IP-besorolás	IP Rating	Clasificación IP	IP-klassificering	IP-klassificering	IP-klassificatie	Indice de protection IP	IP-Schutzart	Grado di protezione IP
Klasa elektryczna	Elektrická třída	Elektrická trieda	Elektromos osztály	Electric Class	Clase eléctrica	Elektrisk klass	Elektrisk klasse	Elektrische klasse	Classe électrique	Elektrische Klasse	Classe elettrica
Ciśnienie znamionowe (bar)	Jmenovitý tlak (bar)	Menovitý tlak (bar)	Névleges nyomás (bar)	Rated Pressure (Bar)	Presión nominal (bar)	Nominalt tryk (bar)	Nominalt tryk (bar)	Nominalle druk (bar)	Pression nominale (bar)	Nenndruck (bar)	Pressione nominale (bar)
Objętość wewnętrzna (litry)	Vnitřní objem (litry)	Vnútný objem (litre)	Belső térfogat (liter)	Internal Volume (Litres)	Volumen interno (litros)	Intern volym (liter)	Intern volume n (liter)	Intern volume (liter)	Volume interne (Litres)	Innenvolumen (Liter)	Volume interno (litri)
Moc Elementu Grzejnego	Výkon Topného Článku	Výkon Vykurovacieho Telesa	Fűtőelem Teljesítménye	Heating Element Wattage	Potencia Del Elemento Calefactor	Värmelementets Effekt	Värmelementets Effekt	Wattage Van Het Verwarmingselement	Puissance De L'Élément Chauffant	Heizelement-Wattzahl	Potenza Dell'Elemento Riscaldante

CAS-660-FONT-1COL




A	B	C	D	E	F	G	L
660	110	140	500	605	75.9	114	[N X F] +18 (+/-4%)

CAS-950-FONT-1COL




A	B	C	D	E	F	G	L
950	110	140	790	885	75.7	114	[N X F] +18 (+/-4%)

CAS-510-FONT-2COL




A	B	C	D	E	F	G	L
510	114	220	350	451	80.2	179	[N X F] +18 (+/-4%)

CAS-660-FONT-2COL




A	B	C	D	E	F	G	L
660	115	207	495	595	76.8	181	[N X F] +28 (+/-4%)

CAS-760-FONT-2COL




A	B	C	D	E	F	G	L
759	110	215	600	702	79.4	186	[N X F] +18 (+/-4%)

CAS-950-FONT-2COL




A	B	C	D	E	F	G	L
950	110	205	795	891	76	181	[N X F] +18 (+/-4%)

CAS-470-FONT-3COL




A	B	C	D	E	F	G	L
467	105	256	300	410	78	224	[N X F] +28 (+/-4%)

CAS-768-FONT-3COL



A	B	C	D	E	F	G	L
768	110	256	600	710	76.1	227	[N X F] +28 (+/-4%)

CAS-970-FONT-3COL



A	B	C	D	E	F	G	L
965	105	256	800	906	77.2	224	[N X F] +28 (+/-4%)

